- If you are viewing this course as a recorded course after the live webinar, you can use the scroll bar at the bottom of the player window to pause and navigate the course.
- This handout is for reference only. Nonessential images have been removed for your convenience. Any links included in the handout are current at the time of the live webinar, but are subject to change and may not be current at a later date.

CONTINU ed

© 2019 continu**ed**® No part of the materials available through the continued.com site may be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of continued.com, LLC. Any other reproduction in any form without such written permission is prohibited. All materials contained on this site are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of continued.com, LLC. Users must not access or use for any commercial purposes any part of the site or any services or materials available through the site.



Technical issues with the Recording?

- Clear browser cache using these instructions
- Switch to another browser
- Use a hardwired Internet connection
- Restart your computer/device

Still having issues?

- Call 800-242-5183 (M-F, 8 AM-8 PM ET)
- Email customerservice@SpeechPathology.com

continued

HUMAN TRAFFICKING

Allison Santi, MD

Attending Physician, Los Robles Dept. of Emergency Medicine

Adjunct Clinical Associate Professor of Emergency Medicine, Keck School of Medicine at USC

HEALtrafficking Speakers Bureau



Learning Outcomes

After this course, participants will be able to:

- Identify the key components and requirements that distinguish a victim of human trafficking
- List 3 red flags associated with human trafficking
- Identify the principles of Trauma Informed Care
- State 3 complaints associated with human trafficking victims
- List 3 barriers that prevent victim disclosure
- State 2 appropriate responses when disclosure is offered
- Identify and share 2 resources for potential victims

continued




Image source: Pixabay.com



Patient #1

• 18 year old female referred for femur fracture

Image source: Pixabay.com

continued

Patient #2

• 21 year old female with male companion




Image source: CASTLA.org



Patient #3

• 11 year old male admitted for burns who is with his "mother".

Image source: Pixabay.com

continued

Objectives

- Define
- Identify
- Protect





TVPA-TRAFFICKING VICTIMS PROTECTION ACT

The TVPA defines "severe forms of trafficking in persons" as:

- sex trafficking in which a commercial sex act is induced by force, fraud, or coercion, or in which the person induced to perform such an act has not attained 18 years of age; or
- the recruitment, harboring, transportation, provision, or obtaining of a person for labor or services, through the use of force, fraud, or coercion for the purpose of subjection to involuntary servitude, peonage, debt bondage, or slavery.

continued.

SAFE HARBOR LAWS

- Child can be recognized as a victim under TVPA but still arrested and prosecuted for prostitution in some states
- Ensure:
 - 1. Minors are not criminalized for prostitution
 - 2. Victim services are provided for all sexually exploited youth



cor	۱TI	nu	eр

MICHIGAN LAW

Safe Harbor apply only to those 16 and under


• Michigan criminalizes sex trafficking of minors under age 18 without requiring force, fraud, or coercion, and buyers face penalties under both trafficking and commercial sexual exploitation of children (CSEC) laws. A protective response allows juvenile sex trafficking victims to access specialized services through child welfare, but only minors under 16 years of age are completely protected from criminalization for prostitution offenses.

CONTINU ed

OHIO

- Ohio's trafficking in persons law criminalizes sex trafficking of a child under 16 without requiring proof of force, fraud, or coercion, but protections are limited for older minors. Child sex trafficking victims MAY avoid a juvenile delinquency adjudication and access services if diverted by the court, but this response is not mandatory, leading to disparate outcomes for victims
- Prostitution laws apply to minors under 18, meaning sex trafficking victims may face criminalization for commercial sex acts committed as a result of their victimization.





CONTINUED

Smuggling vs Trafficking



continued[®]

Force: Physical assault, sexual assault, confinement



continued


Fraud: False promises about work/living conditions, withholding promised wages.






Coercion: Threats of harm or deportation, debt bondage, psychological manipulation, confiscation of documents









Source: PolarisProject.org


continued


Prevalence worldwide

- 2016- estimated 40.3 million people worldwide
 - 5.4 victims per 1000 people worldwide
 - 24.9 forced labor
 - 15.4 forced marriage
 - 4 forced labor imposed by state

(International Labor organization, 2016)









Targeted/At risk Populations

Marginalized
Displaced
Runaways
The Poor
FOSTER CARE



Image Source: Florida's Children First

continued

Adverse Childhood Experiences


- The higher the ACE score, the greater the risk of victimization of any kind
- 1.) Abuse
 - Physical, sexual, emotional
- 2.) Neglect
 - Physical or emotional
- 3.) Household dysfunction
 - Mental illness
 - Incarceration
 - Witnessed domestic violence/abuse
 - Substance use
 - Time spent in Foster Care
 - Divorce, death, abandonment

Image Source: SAMHSA.gov





Who are the traffickers?









Source: Compassion.com/trafficking

continued

Labor Trafficking

 a form of modern-day slavery in which individuals perform labor or services through the use of force, fraud, or coercion. Labor trafficking includes situations of debt bondage, forced labor, and involuntary child labor



Labor Trafficking

- Domestic work-8% minors
- Agriculture-8% minors
- Health and beauty
- Traveling sales-32% minors
- Restaraunts-18% minors
- Selling drugs/gangs
- Polarisproject.org "The Typology of Modern Slavery" March, 2017

Image source:

https://www.flickr.com/photos/canorus/6335489912/in/dateposted

continued

Labor Trafficking

- Domestic work-8% minors
- Agriculture-8% minors
- Health and beauty
- Traveling sales-32% minors
- Restaraunts-18% minors
- Selling drugs/gangs
- Polarisproject.org "The Typology of Modern Slavery" March, 2017



Labor Trafficking



continued







Image source: www.castla.org



CONTINU ED.			
Video Used With Permission from Justice Coalition	n Central Valley		

Sex Trafficking

- The term "sex trafficking" means the recruitment, harboring, transportation, provision, obtaining, patronizing, or soliciting of a person for the purpose of a commercial sex act.
- <18 year old participation in any commercial sex is considered trafficking.



Sex Trafficking

- Motel/hotel based
- Personal sexual servitude-32% minors
- Street-based
- Residential or commercial brothels-46% minors
- Escort services- 43% minors
- Truck stops
- Hostesses/strip clubs "The Typology of Modern Slavery"

continued

Sex Trafficking

- Prostitution
- Webcams
- Strip clubs
- Escorts
- Porn



Sex Trafficking

• Victims are most often recruited as minors




Image source: Pixabay.com

continued

"Mail Order Bride"

- An overlap of sex and labor trafficking sometimes exists
- Maya (15 year old)

Image source: Pixabay.com



Why is this important for us?

- 57% received care while trafficked.
- 76% through the Emergency Department
- 1. Family Violence Prevention Fund. Turning pain into power: trafficking survivors' perspectives on early intervention strategies. San Francisco (CA): Family Violence Prevention Fund; 2005.
- 2. ChisoIm-Straker M, Baldwin S, Gaïgbé-Togbé B, et al. Health care and human trafficking: we are seeing the unseen. J Health Care Poor Underserved 2016;27:1220–33.
- 3. Macias-Konstantopoulos W. The Mass General Freedom Clinic: a public health innovation to improve the health sector's response to human trafficking survivors. Closed briefing of unpublished preliminary data for the US Department of Health and Human Services Task Force to Prevent and End Human Trafficking. Washington (DC): Office of the Administration for Children and Families, US Department of Health and Human Services; December 2016.



Image source: Pixabay.com

continued

"During the time I was on the street, I went to hospitals, urgent care clinics, women's health clinics, and private doctors. No one ever asked me anything anytime I went to a clinic."

- Lauren, survivor





SOAR

(US Dept. of Health and Human Services)

- Stop
- Observe
- Ask
- Respond



ONLINE

www.acf.hhs.gov

continued

"Red Flags"

- Discrepancy between story and presentation
- Scripted, memorized history
- Fearful/subordinate demeanor
- Reluctant to speak on own behalf



Image source: Pixabay.com



"Red Flags"

- Companion who refuses to leave
- Signs of trauma or neglect




continued

"Red Flags"

- Drug addicts/drug seekers
- Tattoos/branding







"Red Flags" - Children

- Presents with nonrelative
- Looks younger than stated age
- Fearful attachment to phone
- Excessive knowledge with sexual items/practice
- Seemingly excessive number of partners
- Lacks certain basic life skills





Acute Medical Complaints

- Trauma
- STD's
- Drug withdrawl/seeking
- Pelvic/abdominal pain
- Dehydration/neglect

continued

Chronic Medical Issues

- PTSD
- Chronic pain
- Abdominal pain
- Malnutrition



Framing your Inquiry

- Establish rapport
- Establish confidentiality
- Establish safety



Image source: Pixabay.com


continued

Trauma Informed Care

An organizational structure and treatment framework that involves understanding, recognizing, and responding to the effects of all types of trauma. Trauma Informed Care also emphasizes physical, psychological and emotional safety for both consumers and providers, and helps survivors rebuild a sense of control and empowerment.



www.traumainformedcare.org





Behavioral Effects of Trauma

- Anxiety/panic
- Hyperarousal/hyoparousal
- Dissociation
- Mood swings
- Fear



Photo by <u>Josep Castells</u> on <u>Unsplash</u>

continued

Trauma Informed Care

- Safety
- 2. Trustworthiness and Transparency
- 3. Peer Support
- 4. Collaboration and mutuality
- 5. Empowerment, voice, and choice (shared decision making)
- 6. Cultural, historical, and gender considerations



Assessing for Safety

- Is the trafficker present?
- Is it safe to separate for everyone involved?
- What does the patient believe will happen if they do not return?
- Does the patient believe anyone else is at risk?
- Is the patient a minor?

CONTINU ed

Trustworthiness, Collaboration, Empowerment

- Shared decision making
- Offering discussing options
- Nonjudgement



Image source: Pixabay.com



History Questions

- Are you paid for the work you do?
- Can you come and go as you please?
- Have you been threatened with harm if you leave?
- What are your working/living conditions like?



Image source: Pixabay.com

continued

History Questions

- Have you ever traded sex for food, shelter, drugs
- Have you been physically or sexually abused?
- Have your documents been seized?
- Do you have a debt that you cannot pay off?



History Questions

- Is there a clear familial relationship?
- Evidence of legal guardianship?
- Is child bear inappropriate responsibilities?

HEADS Assessment

Home
Education
A ethilities
D rinking/drugs
S ex
S afety
S wicide



Examination - Effects of Trauma

- Acting out
- Lack of boundaries
- Hypervigilance
- Reactivity
- Trust issues
- Uncooperative



continued

Examination

- Exam does not match history
- Signs of trauma or neglect
- Signs of drug use
- Tattoos or other skin markings
- Signs of self harm
- Cigarette burns



Image source: Pixabay.com



The Decision to Disclose

 Goal is to create a feeling of safety and concern, validate persons experience and empower them to disclose when they choose.



continued

Barriers to Disclosing

- Fear
- Shame
- Apathy
- Lack of trust
- Lack of insight



Image source: https://www.flickr.com/photos/duald/8575772227



Barriers in Foreign Born Patients

- Language
- Fear of deportation
- Lack of knowledge regarding laws
- Threats to self or family



Image source: CASTLA.org

continued

POSITIVE Actions

- Identify safe place for victim
- Give resources
- Validate feelings and experiences
- Remain calm if victims "act out" or act ungrateful



Image source: Pixabay.com



Negatives - Do Not

- Do not expect victim to self identify
- Do not pressure victim to share
- Do not treat victims as offenders/delinquents
- Do not speak negatively of perpetrator
- Do not be surprised if victim runs

CONTINU ed

Documentation

Image source: Pixabay.com



Referral Numbers and Resources

- National Human Trafficking Resource Center: 888-373-7888; TEXT "BEFREE"
- www.humantraffickinghotline.org
- www.polarisproject.org
- www.nationalsurvivornetwork.org



Image source: Pixabay.com

continued

Ohio and Michigan

- Central Ohio 24 hour HT hotline: (614) 285-4357
- Greater Cincinnati HT hotline: (513) 800-1863
- Michigan Commonground 7 counties: (800) 231-1127





for a world healed of trafficking Health, Education, Advocacy, Linkage

because human trafficking is a public health issue www.HEALtrafficking.org

"Having heard all of this you may choose to look the other way but you can never say that you did not know."

William Wilbertone, British abolitionist (1759-1833)

Image source: Pixabay.com









continued

- Family Violence Prevention Fund. Turning Pain into Power: trafficking survivors' perspectives on early intervention strategies. San Francisco (CA):Family Violence Prevention Fund, 2005.
- 2. Chisolm-Straker M,Baldwin S,Gaigbe-Togbe B et al. Healthcare and human trafficking: we are seeing the unseen. J Health Care Poor Underserved. 2016;27:1220-33
- 3. Macias-Konstantopoulos W. The Mass General Freedom Clinic: a public health innovation to improve the health sector's response to human trafficking survivors. Closed briefing of unpublished preliminary data for the US department of Health and Human Services Task Force to Prevent and End Human Trafficking; Washington DC Office of the Administration for Childrenand families, US Department of Health and Services; December 2016
- Shandro J, Chisolm-Straker M, Aber HC, Findlay SL, et al. (2016) Human Trafficking: a guide to identification and approach for the Emergency Physican. Annals Of Emergency Medicine 1-8. http://dx.doi.org/10.1016/j.annemergencymed.2016.03
- Gorman KW,Hatkevitch BA (2016) The Issue is-Role of Occupational Therapy in Combatting Human Trafficking. American Journal of occupational Therapy. http://dx/doi.org/10/5014.ajot2016.016782
- Tracy E, Macias-Konstantopoulos W. Identifying and assisting sexually exploited and trafficked patients seeking womens health care services. (2017). Obstetrics and Gynecology 130(2) 443-452.
- Chisolm-Straker M, Stoklosa H. Human trafficking is a public health issue: a paradigm expansionin the United States. Springer International Publishing. (2012)

