

- If you are viewing this course as a recorded course after the live webinar, you can use the scroll bar at the bottom of the player window to pause and navigate the course.
- This handout is for reference only. Non-essential images have been removed for your convenience. Any links included in the handout are current at the time of the live webinar, but are subject to change and may not be current at a later date.

No part of the materials available through the continued.com site may be copied, photocopied, reproduced, translated or reduced to any electronic medium or machine-readable form, in whole or in part, without prior written consent of continued.com, LLC. Any other reproduction in any form without such written permission is prohibited. All materials contained on this site are protected by United States copyright law and may not be reproduced, distributed, transmitted, displayed, published or broadcast without the prior written permission of continued.com, LLC. Users must not access or use for any commercial purposes any part of the site or any services or materials available through the site.

Technical issues with the Recording?

- Clear browser cache using [these instructions](#)
- Switch to another browser
- Use a hardwired Internet connection
- Restart your computer/device

Still having issues?

- Call 800-242-5183 (M-F, 8 AM-8 PM ET)
- Email customerservice@SpeechPathology.com



 **THE OHIO STATE UNIVERSITY**
WEXNER MEDICAL CENTER

 **ADVANCED BIONICS**
POWERFUL CONNECTIONS

Interprofessional Auditory Rehabilitation

Meeting the Needs of Adults with Cochlear Implants

*Adult AR Clinical Models:
Feasibility for Audiologists & Speech-
Language Pathologists*

Kara J. Vasil, AuD, CCC-A
Christy Ray, PhD, CCC-SLP

A Sonova Brand 1

Need Technical Support?

Contact SpeechPathology.com at:

[1-800-242-5183](tel:1-800-242-5183) or
customerservice@SpeechPathology.com

Any opinions of non-AB employees are their own and not those of the company.

This webinar is being recorded.



Outline

- What is Comprehensive AR?
- Barriers to Comprehensive AR
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings
- Where do we go from here?

Learner Outcomes

- After this course learners will be able to describe the similarities and differences of the current models of aural rehabilitation.
- After this course learners will be able to identify perceived and real barriers to aural rehabilitation that are present in various clinical settings, including feasibility, patient interest, and interprofessional collaborative communication.
- After this course learners will be able to summarize the value of key players in aural rehabilitation, specifically identifying the roles of SLPs and audiologists in patient-centered care.

Outline

- What is comprehensive AR?
- Barriers to Comprehensive AR
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings
- Problem Solving and Overcoming Obstacles

What is AR?

You tell us!



Use the chat box to tell us what AR looks like in your clinic

7 |

What is AR?

“any device, procedure, information, interaction, or therapy
which lessens the communicative and psychosocial
consequences of a hearing loss”

(Ross, 1997)

“...the reduction of **hearing-loss induced deficits** of function,
activity, participation, and quality of life...”

(Boothroyd, 2007)

8 |

Real-life AR

- Clinicians providing AR services to adults are often lacking clear guidance as to a standard approach
- Adult CI patients are mainly relying on **clinician-recommended, self-guided** rehabilitation methods
- Adult CI users' motivation is high, but they often do not independently set benchmarks for success and overcoming obstacles

(Harris et al., 2016)

Free Resources to Practice Listening Skills

Apps:

- All Clear**: Provides skills to improve skills in quiet and noisy environments
- iAngel Sound**: An interactive auditory training program
- Hear Coach**: Provides listening games that challenge both cognitive and auditory skills
- vHAB: Cochlear App**: Uniquely designed rehabilitation resource for people w/

Online Resources:

- SoundSuccess**: Communicate with Confidence
- Angel Sound**: A self-paced program that allows you to practice your listening skills at home
- The Listening Room**: Activities and resources to support the development of speech, language and listening skills
- SoundSpace**: Provides games to practice listening skills
- English Language Listening Lab**: Provides games to practice listening skills
- Telephone with Confidence**: Practice listening on the telephone

Phonak AB

If you would like to receive additional services to target listening skills and your hearing technology for improved communication, please contact:
Luettenbach at luettenbach@osu.edu or 614-360-2204.

THE OHIO STATE UNIVERSITY
WEXNER MEDICAL CENTER

What is AR? *Defining Success*

How Do You Define SUCCESS With Your CI?



THE OHIO STATE UNIVERSITY
WEXNER MEDICAL CENTER

What is AR?

But AR *really* involves...

**Comprehensive
Auditory
Rehabilitation**

- Speech recognition
- Listening comprehension
- Motivation
- Device knowledge
- Psychosocial function
- Communication confidence
- Listening effort
- Self-efficacy
- Social participation/isolation
- Executive functioning and cognition
- Quality of life

11 |

What is AR?

"...the reduction of
hearing-loss induced deficits
of function, activity, participation, and quality of life..."
(Boothroyd, 2007)

FUNCTION

- hearing capacity

ACTIVITY

- USE of capacity


PARTICIPATION

- activity in daily life

QUALITY OF LIFE

- perception of experiences and well-being

International Classification of Functioning
Disability and Health (ICF) Framework




World Health Organization. International Classification of Functioning, Disability and Health, Geneva, World Health Organization; 2001.

12 |

What is AR?


Perspective



13 |

What is AR?

What does it aim to treat?



14 |

What is AR?

What does it aim to treat?

Function

- hearing capacity

Activity

- USE of capacity

Participation

- activity in daily life

QOL

- perception of experiences and well-being



Sensory Management
Optimize auditory function



Instruction
Use of technology and control of the listening environment





Perceptual Training
Improve speech perception and communication




Counseling
Enhance participation and deal with limitations

What is AR?



N=59

What is AR?



17 |



Sensory Management





Fitting of hearing assistive technology	61%
Device programming	49%
Surgical placement of device	17%

18 |



Perceptual Training

How can we use information about a patient's ability to process speech?



Patient-guided speech perception training (e.g., wear device, listen to audiobooks, apps or listening programs in general)	98%
Clinician-guided speech perception training (e.g., specific listening activities based on patient skill level and goals)	92%

BOTTOM-UP AUDITORY TRAINING		
Task	Target Skills	Examples
<i>Phoneme Discrimination</i>	Acoustic cues: Manner of articulation Placement of articulation Voicing	"fish" vs. "dish" "shale" vs. "fail" "made" vs. "mate"
<i>Suprasegmental Identification</i>	Syllable/word stress Syllable/word length	"Object" vs. "obJECT" "man" vs. "manage" vs. "manageable"
<i>Text Following</i>	Familiarity and association of sounds to known words	Matching auditory and text input
TOP-DOWN AUDITORY TRAINING		
Task	Target Skills	Examples
<i>Preceding Word Identification; Sentence Completion</i>	Verbal working memory Selective attention Vocabulary and Retrieval	"The students gathered in the hall." (Target: "students") "I didn't know what ____ it was." (Target: "time")
<i>Picture/Object Identification; Answering Questions</i>	Comprehension Verbal working memory Long-term memory Vocabulary and Retrieval	"It is round and hangs on the wall." "Is a feather heavier than a brick?"
<i>Following Directions</i>	Comprehension Verbal working memory Short-term memory	"Write the following appointments on your calendar: Haircut on Tuesday the 15 th at noon and a meeting with Joe at 3:30 the following Monday"

19 |



Counseling

- Expectations
- Motivation, Compliance
- Informed decision making: self-efficacy

Counseling/Education on auditory skill development	85%
Counseling/Education on environmental and speech acoustics (e.g., minimizing background noise, etc)	83%
Counseling/Education on ear-brain connection	81%
Counseling/Education on communication facilitation and repair strategies	78%
Counseling/Education on normal hearing	54%
Counseling/Education on hearing anatomy and physiology	54%
Counseling/Education on how to read an audiogram	54%

Taylor, et al., 2014

20 |



Instruction



- Device & Accessories
- Use & Knowledge
- To optimize auditory sensitivity and sensory management

Instruction on use of specific features of the device/technology	69%
--	-----

21 |

Who **would** benefit from comprehensive AR?



Who **wouldn't** benefit from comprehensive AR?


22 |

Outline

- What is Comprehensive AR?
- **Barriers to Comprehensive AR**
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings
- Where do we go from here?

23 |

BARRIERS



24 |

BARRIERS




COST EFFICIENCY

PATIENT
ACCESSIBILITY

EVIDENCE/
CLEAR STANDARD

PROFESSIONAL
AWARENESS & TRAINING


BARRIERS TO COMPREHENSIVE AR



BARRIERS



BARRIERS TO COMPREHENSIVE AR



BARRIERS

Cost Efficiency




CPT Code	Descriptor	2020 National Fee	Notes
92522	Evaluation of speech sound production (eg, articulation, phonological process, apraxia, dysarthria);	\$94.55	Do not bill 92522 in conjunction with 92523.
92523	with evaluation of language comprehension and expression (eg, receptive and expressive language)	\$198.49	Do not bill 92523 in conjunction with 92522.
92507	Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual	\$81.20	Not covered for audiologists. Medicare coverage is limited to diagnostic testing.
92508	group, 2 or more individuals	\$24.54	
92626	Evaluation of auditory function for surgically implanted device(s) candidacy or postoperative device(s); first hour	\$92.39	Revised in 2020. This code may be used by SLPs to report an evaluation of auditory function related to pre-implant candidacy or post-implant status evaluation. See also: New and Updated CPT Codes for 2020
92627	each additional 15 minutes (List separately in addition to code for primary procedure)	\$22.01	This is an add-on code for 92626.
92630	Auditory rehabilitation; prelingual hearing loss	\$0.00	This code will not be paid for. CMS instructs SLPs to use 92507 for auditory rehabilitation.
92633	postlingual hearing loss	\$0.00	CMS instructs SLPs to use 92507 for auditory rehabilitation.

27 |

BARRIERS

Patient Accessibility



28 |

“What influences people’s decision to get/not get a cochlear implant?”





Fig. 1. Concept map, showing the 110 statements or underlying factors influencing the uptake of a CI clustered into six concepts, and conceptualized into two overarching domains: external and client-driven. Barrier and driver concepts were identified by the mean rating scores of each concept. Each point and the adjacent number show a brainstormed statement.

(Ebrahimi-Madiseh, et al., 2020)

BARRIERS


Evidence & Clear Standard



N=59

BARRIERS

Provider Awareness & Training




N=59

BARRIERS

Provider Awareness & Training

AUDITORY VERBAL (AVT) SLP	ADULT OUTPATIENT SLP	AUDIOLOGIST
• Anatomy and physiology of hearing and disorders	• Cognitive-linguistic function for communication in adults	• Anatomy and physiology of hearing and balance disorders
• Auditory skill & language development	• Communication & disorders in aging	• Diagnostic evaluation of hearing and balance disorders across a range of patient populations
• Hearing technology, troubleshooting, communication strategies	• Acquired communication disorders across a range of patient populations	• Hearing technology, troubleshooting, communication strategies
• Importance of collaboration with parents/family to create buy-in & optimize outcomes	• Importance of collaboration with patients/family to create buy-in & optimize outcomes	• Importance of collaboration with patients/family to create buy-in & optimize outcomes
• Patient-centered goal setting: SMART Goals	• Patient-centered goal setting: SMART Goals	• Patient-centered goal setting
• Facilitation of learning & scaffolding	• Facilitation of learning & scaffolding	• Hearing preservation
• Multidisciplinary patient care (e.g., ENT, audiologist, school, etc)	• Multidisciplinary patient care (e.g., ENT, neurologist, PT/OT, etc.)	• Multidisciplinary patient care (e.g., ENT, neurologist, PT/OT, etc.)

BARRIERS



Satterfield, J. M., Spring, B., Brownson, R. C., Mullen, E. J., Newhouse, R. P., Walker, B. B., & Whitlock, E. P. (2009). Toward a transdisciplinary model of evidence-based practice. *The Milbank quarterly*, 87(2), 368–390. <https://doi.org/10.1111/j.1468-0009.2009.00561.x>

Outline

- What is comprehensive AR?
- Barriers to Comprehensive AR
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings
- Problem Solving and Overcoming Obstacles


Interprofessional Practice and Roles

	AUD	SLP	BOTH	REFER OUT	N/A
Surgical placement of device	0%	0%	0%	0%	0%
Device programming	97%	0%	0%	3%	0%
Fitting of hearing assistive technology	88%	0%	5%	7%	0%
Instruction on use of specific features of device/technology	71%	0%	25%	3%	0%
Clinician-guided speech perception training (e.g., specific listening activities based on patient skill/goals)	14%	34%	29%	20%	3%
Patient-guided speech perception training (e.g., audiobooks, apps or listening programs in general)	39%	12%	44%	3%	2%
Counseling/Education on auditory skill development	36%	14%	44%	3%	3%
Counseling/Education on ear-brain connection	42%	10%	44%	0%	3%
Counseling/Education on normal hearing	52%	3%	40%	0%	5%
Counseling/Education on hearing anatomy and physiology	60%	2%	35%	2%	2%
Counseling/Education on communication strategies	41%	14%	42%	3%	0%
Counseling/Education on environmental and speech acoustics (e.g., minimizing background noise, etc)	47%	9%	43%	2%	0%
Counseling/Education on how to read an audiogram	58%	3%	34%	0%	5%

Sensory Management	Surgeon	Audiologist	SLP
· Device Implantation	✓		
· Device programming		✓	
Instruction	Surgeon	Audiologist	SLP
· Device use	✓	✓	✓
· Device skill and knowledge	✓	✓	✓
Perceptual Training	Surgeon	Audiologist	SLP
· Clinician-guided auditory therapy			✓
Counseling	Surgeon	Audiologist	SLP
· Needs and goals	✓	✓	✓
· Realistic expectations	✓	✓	✓
· Communication strategies		✓	✓

35 |

Teamwork Makes the Dream Feasible



36 |

Outline

- What is Comprehensive AR?
- Barriers to Comprehensive AR
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings**
- Where do we go from here?

37 |


Some Models of Adult AR

Adult CI AR Focus Group

Site	Location	Setting	AR Team	Referral Source	New Adult AR Patients (2019)	
					Audiology	SLP
East Carolina University	Greenville, NC	University Clinic	Audiologist SLP Community ENT	Outside/community	Individual: 15 Group: 12	
University of Arkansas	Fayetteville, AR	University Clinic	Audiologist SLP	University-associated Outside/community	Individual: 40 Group: 20	Individual: 20
University of Tennessee Health Science Center	Knoxville, TN	University Clinic	Audiologist SLP	Outside/community	Individual: 50 Group: N/A	Individual: 20
Ohio State University	Columbus, OH	University Hospital	Audiologist SLP In-house ENT	In-house Outside/community	Individual: 65 Group: N/A	
Oregon Health & Science University	Portland, OR	University Hospital	Audiologist SLP In-house ENT	In-house	Individual: 70 Group: N/A	
Atlanta Veteran's Affairs Medical Center	Decatur, GA	VA	Audiologist In-house ENT	In-house	Individual: 20 Group: N/A	N/A
Gulf Coast Veteran's Affairs Health Care System	Biloxi, MS	VA	Audiologist SLP In-house ENT	In-house	Individual: 50 Group: Variable	
Phoenix Veteran's Affairs Health Care System	Phoenix, AZ	VA	Audiologist SLP	In-house	Individual: 15 Group: N/A	Individual: 1
Tibor Rubin Veteran's Affairs Medical Center	Long Beach, CA	VA	Audiologist In-house ENT	In-house Outside VA	Unknown	N/A

38 |

AR for Adults with CIs



Survey Respondents
N = 59

Models for Adult AR

	PRE-CI		POST-CI		POST-ACTIVATION					
	VISIT 1	VISIT 2	1-2 WEEKS	2-4 WEEKS	2 WEEKS	1 MONTH	2 MONTHS	3 MONTHS	6 MONTHS	1 YEAR
SURGEON	Medical Exam		Post-op Exam		as needed					
AUDIOLOGIST	CI Eval	Device Selection	Activation	Programming, etc	Programming, etc	Programming, etc	Programming, etc	Programming, etc	Programming, etc	Programming, etc
SLP		Communication Eval				AR Eval	AR Tx	Post-AR Eval		as needed

Outline

- What is Comprehensive AR?
- Barriers to Comprehensive AR
- Interprofessional Practice and Roles in AR
- Current AR Models Across Various Settings
- Where do we go from here?

41 |


Shifting the Narrative

- ▶ Terminology and narrative need to reflect our broad objectives
 - Improve stakeholder understanding, buy-in
 - Shift toward standard (vs. exception or add-on)

WHAT ARE WE TREATING?

Communication...?

(Broader impairment beyond “hearing”)



Sweetow, 2007

- Suggested change of terminology:
 - “hearing aid evaluation” → “functional communication assessment”
 - take the focus off the product → place it on the end goal of improving communication

42 |

Shifting the Narrative

"Hearing aids may (or may not) be one component of an overall rehabilitation plan, but a rehabilitation plan is not a component of a hearing aid fitting."

"...the current tendency to supplement hearing aid fittings with additional therapy is misguided..."

...Instead, hearing aids should supplement the global plan of communication treatment."



VIEW POINT

Instead of a hearing aid evaluation, let's assess functional communication ability

By Robert W. Sweetow

Periodically, government, businesses, and professions must reassess their mission and goals in order to maintain their competence and maintain their relevance. The objective of this paper is to propose a variation in our professional direction and to provide a general road map toward rendering this change viable.

Specifically, I am advocating that the generic "hearing aid evaluation" be replaced by a "Functional Communication Assessment" designed to yield results that will lead to an "Individualized Communication Enhancement Plan" (ICEP) for every patient.

This Functional Communication Assessment would be a battery of objective and subjective measures intended to assess residual auditory function beyond what can be determined by pure-tone and monosyllabic word-recognition-in-quiet testing. From these data, an ICEP would be constructed that would contain any or all of the

following: education and counseling, communication strategies, individualized auditory training, hearing aids, assistive listening devices, and group education and therapy.

The goal of this proposal is to shift our focus from one that is product-oriented (i.e., centered around hearing aids) to one that is process-oriented (centered around enhancing communication).

The reason for this change is straightforward. Hearing aids are designed to provide access to acoustic information. However, communication, the ultimate objective for our patients, incorporates not only hearing, but also listening skills, cognitive-based interpretation, and communication strategies.^{1,2}

Hearing aids may (or may not) be one component of an overall rehabilitation plan, but a rehabilitation plan is not a component of a hearing aid fitting. In other words, the current tendency to supplement hearing aid fittings with additional therapy is misguided. Instead, hearing aids should supplement the global plan of communication treatment.

Dispensing hearing aids is vital and it's a noble pursuit. In my counseling courses, I frequently quote the statement "selling is the transference of passion in the presence of need."³ But when Dr. Raymond Carhart pioneered the field of audiology, he intended it to comprise both diagnostic and therapeutic functions.⁴ When the primary focus is placed on hearing aids, it may inadvertently create an unnecessary restriction on our ability to provide comprehensive care, and this can send the wrong message to patients

and other stakeholders.

NO EXCUSE FOR NOT OFFERING REHAB. Many professionals believe they are providing rehabilitation services merely by presenting instructions to accompany hearing aid fittings. Others argue that it is impractical to provide rehabilitation because such services take too much time and are not reimbursable.

I disagree with both contentions. There are numerous methods for providing rehabilitation services that do not require significant professional time. Hawkins presented an evidence-based review of the benefits gleaned from group-based AR.⁵ Formal instruction in hearing aid and accessory management can lead to increased usage⁶ and, therefore, to enhanced function and activity when summed over time.^{5,7}

Group instruction can deliver both education and emotional support. There are abundant resources of content and material for group AR.⁸⁻¹⁰ Evidence exists to support the efficacy of such programs in terms of reduced return-for-credit rates, increased usage, and greater initial patient satisfaction.^{11,12}

Group-based aural rehabilitation may not always meet the needs of the individual patient. For this, it may be helpful to provide individual auditory training. Sweetow and Palmer conducted an evidence-based literature review that demonstrated the potential benefit of these services.¹³

Evidence is also emerging that clearly demonstrates that patients who complete individual auditory training (AT), such as LACE,¹⁴ have significantly lower return-for-credit (RFC) rates on new hearing aid purchases.¹⁵⁻¹⁷ A recent issue of *Seminars in Hearing* offered a number of papers illustrating the plethora of new auditory training programs using computer technology.¹⁸

The argument that hearing healthcare professionals are not reimbursed for therapeutic services previously had merit, because, unfortunately, audiology has been assigned a Standard Occupational Classification (SOC) listing as a diagnostic rather than a therapeutic profession. However, last year, the Centers for Medicare and Medicaid Services (CMS) created new CPT codes (92226 and 92227) that implicitly recognized the need for an appraisal of residual auditory function beyond what the pure-tone audiogram provides.

"...Communication, the ultimate objective for our patients, incorporates not only hearing, but also listening skills, cognitive-based interpretation, and communication strategies..."

Where do we go from here?

- Think beyond hearing loss
- Work collaboratively and creatively—to fill gaps and overcome barriers in a given setting
- Stay connected and supported
- Future research directions



COURSE 3: COMPONENTS OF ADULT AUDITORY REHABILITATION ASSESSMENT AND TREATMENT

Christy Ray, PhD, CCC-SLP; Erin Stefancin, MA, CCC-SLP; Kara Vasil, AuD, CCC-A • August 26, 12 – 1 EST

COURSE 4: OUTCOMES AND CASE STUDIES OF AUDITORY REHABILITATION FOR ADULTS WITH COCHLEAR IMPLANTS

Aaron Moberly, MD; Christy Ray, PhD, CCC-SLP; Kara Vasil, AuD, CCC-A; Erin Stefancin, MA, CCC-SLP September 23, 12 – 1 EST

REFERENCES

- American Academy of Audiology. (2014, June 23). Scope of Practice. Retrieved from <https://www.audiology.org/publications-resources/document-library/scope-practice>.
- American Academy of Audiology. (2019, July). Clinical Practice Guidelines: Cochlear Implants. Retrieved from <https://www.audiology.org/sites/default/files/publications/resources/CochlearImplantPracticeGuidelines.pdf>
- American Academy of Audiology (AAA). (2019, November 19). Guidelines and Standards. Retrieved from <https://www.audiology.org/publications/guidelines-and-standards>.
- American Speech-Language-Hearing Association (ASHA). (2001). *Knowledge and skills required for the practice of audiologic/aural rehabilitation*. Available from <https://www.asha.org/policy/KS2001-00216.htm>.
- American Speech-Language-Hearing Association (ASHA). (2016). *Scope of practice in speech-language pathology* [Scope of practice]. Available from www.asha.org/policy.
- American Speech-Language-Hearing Association (ASHA). (2018). *Scope of practice in audiology* [Scope of practice]. Available from www.asha.org/policy.
- Anderson, S., White-Schwoch, T., Choi, H. J., & Kraus, N. (2013a). Training changes processing of speech cues in older adults with hearing loss. *Frontiers in Systems Neuroscience*, 7, 1–9.
- Anderson, S., White-Schwoch, T., Parbery-Clark, A., & Kraus, N. (2013b). Reversal of age-related neural timing delays with training. *Proceedings of the National Academy of Sciences*, 110, 4357–4362.
- ASHA. (n.d.). Aural Rehabilitation for Adults. Available from <https://www.asha.org/Practice-Portal/Professional-Issues/Aural-Rehabilitation-for-Adults/>.
- Boothroyd, A. (2007). Adult auditory rehabilitation: What is it and does it work? *Trends in Hearing*, 11(2), 63–71.
- Boothroyd, A. (2010). Adapting to changed hearing: the potential role of formal training. *Journal of the American Academy of Audiology*.
- Chisolm, T.H., Saunders, G.H., Frederick M.T., et al. (2013). Learning to listen again: The role of compliance in auditory training for adults with hearing loss. *American Journal of Audiology*, 22, 339–342.
- Ebrahimi-Madiseh, A., Eikelboom, R. H., Bennett, R. J., Upson, G. S., Friedland, P. L., Swanepoel, W., Psarros, C., Lai, W. K., & Atlas, M. D. (2020). What Influences Decision-Making for Cochlear Implantation in Adults? Exploring Barriers and Drivers From a Multistakeholder Perspective. *Ear and hearing*. Advance online publication. <https://doi.org/10.1097/AUD.0000000000000895>
- Ferguson, M., & Henshaw, H. (2015). Auditory training can improve working memory, attention, and communication in adverse conditions for adults with hearing loss. *Frontiers in Psychology*, 6, 1–7.
- Fu, Q. & Shannon, R. V. (2002). Frequency Mapping in Cochlear Implants. *Ear and Hearing*, 23(4), 339–348.
- Fu, Q.J., & Galvin III, J.J. (2007). Perceptual learning and auditory training in cochlear implant recipients. *Trends in Amplification*, 11(3), 193–205.
- Fu, Q. J., Galvin, J.J., Wang, X., & Nogaki, G. (2004). Effects of auditory training on adult cochlear implant patients: A preliminary report. *Cochlear Implants International*, 5, 84–90.
- Harris, M., Capretta, N., Henning, S., Feeney, L., Pitt, M., & Moberly, A. (2016). Postoperative rehabilitation strategies used by adults with cochlear implants. *The Ohio State University Laryngoscope Investigative Otolaryngology*, 1(3), 42–48.

REFERENCES

- Hawkins, D. (2005). Effectiveness of counseling-based adult group aural rehabilitation programs: A systematic review of the evidence. *Journal of the American Academy of Audiology*, 16(7).
- Henshaw, H., Ferguson, M. A. (2013). Efficacy of individual computer-based auditory training for people with hearing loss: a systematic review of the evidence. *PLoS One*, 8(5), e62836.
- Heydebrand, G., Mauze, E., Tye-Murray, N., Binzer, S., & Skinner, M. (2005). The efficacy of a structured group therapy intervention in improving communication and coping skills for adult cochlear implant recipients. *International Journal of Audiology*, 44(5), 272–280.
- Kricos, P.B. & Holmes, A.L. (1996). Efficacy of audiologic rehabilitation for older adults. *Journal of the American Academy of Audiology*, 7(4), 219–229.
- Lawrence, B. J., Jayakody, D., Henshaw, H., Ferguson, M. A., Eikelboom, R. H., Loftus, A. M., & Friedland, P. L. (2018). Auditory and Cognitive Training for Cognition in Adults With Hearing Loss: A Systematic Review and Meta-Analysis. *Trends in hearing*, 22, 1–20. <https://doi.org/10.1177/2331216518792096>
- Moberly, A.C., Vasil, K.J., Baxter, J.B., & Ray, C. (2018). What to do when cochlear implant users plateau in performance: A pilot study of clinician-guided aural rehabilitation. *Otology & Neurotology*, 39(9), 802.
- Pichora-Fuller, M. K., & Levitt, H. (2012). Speech comprehension training and auditory and cognitive processing in older adults. *American Journal of Audiology*, 21, 351–357.
- Ross, M. (1997). A retrospective look at the future of aural rehabilitation. *Journal of the Academy of Rehabilitative Audiology*, 30, 11–28.
- Rubinstein, A., & Boothroyd, A. (1987). Effect of two approaches to auditory training on speech recognition by hearing-impaired adults. *Journal of Speech, Language, and Hearing Research*, 30(2), 153–160.
- Satterfield, J. M., Spring, B., Brownson, R. C., Mullen, E. J., Newhouse, R. P., Walker, B. B., & Whitlock, E. P. (2009). Toward a transdisciplinary model of evidence-based practice. *The Milbank quarterly*, 87(2), 368–390. <https://doi.org/10.1111/j.1468-0009.2009.00561.x>
- Sweetow, R. (2007) Instead of a hearing aid evaluation, let's assess functional communication ability. *The Hearing Journal*. 60(9), 26–31.
- Sweetow, R. & Palmer, C. (2005). Efficacy of individual auditory training in adults: A systematic review of the evidence. *Journal of the American Academy of Audiology*. 16 (7), 494–504.
- Sweetow, R. & Sabes, J. (2006). The need for and development of an adaptive Listening and Communication Enhancement (LACE) Program. *Journal of the American Academy of Audiology*, 17(8), 538–558.
- Tremblay, K. L. (2007). Training-related changes in the brain: Evidence from human auditory-evoked potentials. *Seminars in Hearing*, 28, 120–132.
- Trybus, R., Stika, C.J., Goulder, T.J. (1997). Final Project Report: Rehabilitation Research and Training Center on Mental Health Needs of Persons Who Are Late Deafened or Hard of Hearing. Washington, DC: U.S. Dept. of Education, NIDRR.
- Tye-Murray, N. (2009). *Foundations of auditory rehabilitation: Children, adults, and their family members* (3rd ed.). Clifton Park, NY: Delmar, Cengage Learning.



THE OHIO STATE UNIVERSITY
WEXNER MEDICAL CENTER

Questions?

Thank you for joining us!

Kara.Vasil@osumc.edu

Christin.Ray@osumc.edu

hear@advancedbionics.com

866.844.4327

47

SLP Skillset

- ☐ Cognitive-Linguistic Assessment
- ☐ SMART Goals
 - ☐ Long-Term
 - ☐ Short-Term (Benchmarks)
- ☐ Expectations, Adjustment, Self-Management, Motivation
- ☐ Formative Assessment
- ☐ Scaffolding Learning

Barriers

